

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3989760	(measur\$6 attribut\$3 character\$9 qualit\$3 radiat\$3 electric\$5 electromagnetic\$5 power energ\$4 paramet\$7 voltage current noise signal\$3 consum\$6) near5 (record\$3 read\$3 stor\$3 memor\$6 register\$3 acquir\$3 writ\$3 sav\$3 collect\$3 gather\$3 keep\$3 obtain\$3 copy\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:41
L2	72336	L1 and @pd>"20080801"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:41
L3	50478	2 and (command\$3 signal\$3 instruct\$3 order\$3 direct\$3 issu\$3 charg\$3 control\$5 initiat\$4) with (encrypt\$3 cryptograph\$5 cipher\$3 encipher\$3 process\$3 operat\$3 scrambl\$3 decrypt\$3 decipher\$3 descrabl\$3 unscrambl\$3 encod\$3 decod\$3 disarrang\$3 dearrang\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:44
L4	15046	3 and (statistic\$4 value amount quantity measur\$5 number size magnitude) near5 (combin\$5 mask\$3 hid\$3 cover\$3 disguis\$3 conceal\$3 masquerad\$3 obscur\$3 obfuscat\$3 concatenat\$3 add\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:44
L5	15046	4 and (statistic\$4 histor\$6 value amount quantity measur\$5 number size magnitude data information) near5 (combin\$5 mask\$3 hid\$3 cover\$3 disguis\$3 conceal\$3 masquerad\$3 obscur\$3 obfuscat\$3 concatenat\$3 add\$3 mix\$3 exclusive)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:47

L6	2795	5 and ((measur\$5 record\$3 read\$3 guess\$3 study\$3 analy\$6 review\$3 calculat\$3 comput\$5 determin\$5 evaluat\$4 assess\$4 estimat\$3) near5 (attribut\$3 radiat\$3 electromagnetic\$4 power voltage current noise signal\$3 consum\$6 character\$9 qualit\$3 radiat \$3 electric\$5 electromagnetic\$5 energ\$4 paramet\$7) same ((analog near3 digital) ADC (A near3 D) convert\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:48
L7	241	6 and ((determin\$6 measur\$5 figur\$3 find\$3 obtain \$3 discover\$3 acquir\$3 guess\$3 estimat\$3 calculat \$3 comput\$5 evaluat\$4 assess\$4) near4 (data information) same (key cryptograph\$5 encrypt\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:50
L8	32	7 and (((determin\$6 measur\$5 figur\$3 find\$3 obtain \$3 discover\$3 acquir\$3 recover\$3 leak\$3 seep\$4 escap\$3) near4 (data information)) near5 (key cryptograph\$5 encrypt\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:51
L9	6614	(380/1,37,204,207,218,252,253,254).ccls. (705/41,65,66).ccls. (726/9,20,25).ccls. (713/159,172,185,194,340).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:57
L14	6	L9 and ((measur\$6 attribut\$3 character\$9 qualit\$3 radiat\$3 electric\$5 electromagnetic\$5 power energ \$4 paramet\$7 voltage current noise signal\$3 consum \$6) near7 (record\$3 read\$3 stor\$3 memor\$6 register \$3 acquir\$3 writ\$3 sav\$3 collect\$3 gather\$3 keep\$3 obtain\$3 copy\$3) same (command\$3 signal\$3 instruct\$3 order\$3 direct\$3 issu\$3 charg\$3 control\$5 initiat\$4) near7 (encrypt\$3 cryptograph\$5 cipher\$3 encipher\$3 process\$3 operat\$3 scrambl\$3 decrypt\$3 decipher\$3 descrambl\$3 unscrambl\$3 encod\$3 decod \$3 disarrang\$3 dearrang\$3) same(statistic\$4 histor \$6 value amount quantity measur\$5 number size magnitude data information) near7 (combin\$5 mask \$3 hid\$3 cover\$3 disguis\$3 conceal\$3 masquerad\$3	US-PGPUB	OR	ON	2008/10/31 11:00

		obscur\$3 obfuscat\$3 concatenat\$3 add\$3 mix\$3 exclusive)).CLM.				
S1	199	(KOCHER near PAUL) (JAFJE near JOSHUA) (JUN near BENJAMIN) (CRYPTOGRAPHY near RESEARCH)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 21:33
S2	3	"20020124178"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 21:36
S3	141	S1 and ((measur\$6 attribut\$3 character\$9 qualit\$3 radiat\$3 electric\$5 electromagnetic\$5 power energy\$4 paramet\$7 voltage current noise signal\$3 consum\$6) near5 (record\$3 read\$3 stor\$3 memor\$6 register\$3 acquir\$3 writ\$3 sav\$3 collect\$3 gather\$3 keep\$3 obtain\$3 copy\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 21:55
S4	126	S3 and (command\$3 signal\$3 instruct\$3 order\$3 direct\$3 issu\$3 charg\$3 control\$5 initiat\$4) near5 (encrypt\$3 cryptograph\$5 cipher\$3 encipher\$3 process\$3 operat\$3 scrambl\$3 decrypt\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:06
S5	33	S3 and (command\$3 signal\$3 instruct\$3 order\$3 direct\$3 issu\$3 charg\$3 control\$5 initiat\$4) near5 (decipher\$3 descrambl\$3 unscrambl\$3 encod\$3 decod\$3 disarrang\$3 dearrang\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:06
S6	126	S4 S5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:06

S7	135	S3 and (command\$3 signal\$3 instruct\$3 order\$3 direct\$3 issu\$3 charg\$3 control\$5 initiat\$4) with (encrypt\$3 cryptograph\$5 cipher\$3 encipher\$3 process\$3 operat\$3 scrambl\$3 decrypt\$3 decipher\$3 descrambl\$3 unscrambl\$3 encod\$3 decod\$3 disarrang\$3 dearrang\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:07
S8	135	S6 S7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:08
S9	98	S8 and (statistic\$4 value amount quantity measur\$5 number size magnitude) near5 (combin\$5 mask\$3 hid\$3 cover\$3 disguis\$3 conceal\$3 masquerad\$3 obscur\$3 obfuscat\$3 concatenat\$3 add\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:11
S10	122	S8 and (statistic\$4 histor\$6 value amount quantity measur\$5 number size magnitude data information) near5 (combin\$5 mask\$3 hid\$3 cover\$3 disguis\$3 conceal\$3 masquerad\$3 obscur\$3 obfuscat\$3 concatenat\$3 add\$3 mix\$3 exclusive)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:16
S11	24	S10 and ((measur\$5 record\$3 read\$3 guess\$3 study\$3 analy\$6 review\$3 calculat\$3 comput\$5 determin\$5 evaluat\$4 assess\$4 estimat\$3) near5 (attribut\$3 radiat\$3 electromagnetic\$4 power voltage current noise signal\$3 consum\$6 character\$9 qualit\$3 radiat\$3 electric\$5 electromagnetic\$5 energ\$4 paramet\$7) same ((analog near3 digital) ADC (A near3 D) convert\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:30
S12	2	"20010053220"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:39

S13	89	S10 and ((determin\$6 measur\$5 figur\$3 find\$3 obtain\$3 discover\$3 acquir\$3 guess\$3 estimat\$3 calculat\$3 comput\$5 evaluat\$4 assess\$4) near4 (data information) same (key cryptograph\$5 encrypt\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:45
S14	53	S10 and (((determin\$6 measur\$5 figur\$3 find\$3 obtain\$3 discover\$3 acquir\$3 recover\$3 leak\$3 seep\$4 escap\$3) near4 (data information)) near3 (key cryptograph\$5 encrypt\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 23:20
S15	6614	(380/1,37,204,207,218,252,253,254).ccls. (705/41,65,66).ccls. (726/9,20,25).ccls. (713/159,172,185,194,340).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:11
S20	4527	S15 and ((measur\$6 attribut\$3 character\$9 qualit\$3 radiat\$3 electric\$5 electromagnetic\$5 power energy\$4 paramet\$7 voltage current noise signal\$3 consum\$6) near5 (record\$3 read\$3 stor\$3 memor\$6 register\$3 acquir\$3 writ\$3 sav\$3 collect\$3 gather\$3 keep\$3 obtain\$3 copy\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:13
S21	4014	S20 and (command\$3 signal\$3 instruct\$3 order\$3 direct\$3 issu\$3 charg\$3 control\$5 initiat\$4) near5 (encrypt\$3 cryptograph\$5 cipher\$3 encipher\$3 process\$3 operat\$3 scrambl\$3 decrypt\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:14
S22	1096	S20 and (command\$3 signal\$3 instruct\$3 order\$3 direct\$3 issu\$3 charg\$3 control\$5 initiat\$4) near5 (decipher\$3 descrambl\$3 unscrambl\$3 encod\$3 decod\$3 disarrang\$3 dearrang\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:14
S23	4074	S21 S22	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:14

S24	4074	S23 and (command\$3 signal\$3 instruct\$3 order\$3 direct\$3 issu\$3 charg\$3 control\$5 initiat\$4) with (encrypt\$3 cryptograph\$5 cipher\$3 encipher\$3 process\$3 operat\$3 scrambl\$3 decrypt\$3 decipher\$3 descrambl\$3 unscrambl\$3 encod\$3 decod\$3 disarrang\$3 dearrang\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:15
S25	1493	S24 and (statistic\$4 value amount quantity measur\$5 number size magnitude) near\$5 (combin\$5 mask\$3 hid\$3 cover\$3 disguis\$3 conceal\$3 masquerad\$3 obscur\$3 obfuscat\$3 concatenat\$3 add\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:16
S26	2343	S24 and (statistic\$4 histor\$6 value amount quantity measur\$5 number size magnitude data information) near\$5 (combin\$5 mask\$3 hid\$3 cover\$3 disguis\$3 conceal\$3 masquerad\$3 obscur\$3 obfuscat\$3 concatenat\$3 add\$3 mix\$3 exclusive)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:16
S27	2343	S25 S26	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:16
S28	315	S27 and ((measur\$5 record\$3 read\$3 guess\$3 study\$3 analy\$6 review\$3 calculat\$3 comput\$5 determin\$5 evaluat\$4 assess\$4 estimat\$3) near\$5 (attribut\$3 radiat\$3 electromagnetic\$4 power voltage current noise signal\$3 consum\$6 character\$9 qualit\$3 radiat\$3 electric\$5 electromagnetic\$5 energ\$4 paramet\$7) same ((analog near\$3 digital) ADC (A near\$3 D) convert\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:17
S30	143	S28 and ((determin\$6 measur\$5 recover\$3 leak\$3 seep\$4 escap\$3 figur\$3 find\$3 obtain\$3 discover\$3 acquir\$3 guess\$3 estimat\$3 calculat\$3 comput\$5 evaluat\$4 assess\$4) near\$4 (data information) same (key cryptograph\$5 encrypt\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:21

S31	104	S30 and (((determin\$6 measur\$5 recover\$3 leak\$3 seep\$4 escap\$3 figur\$3 find\$3 obtain\$3 discover\$3 acquir\$3 guess\$3 estimat\$3 calculat\$3 comput\$5 evaluat\$4 assess\$4) near4 (data information)) near10 (key cryptograph\$5 encrypt\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:22
S33	95	S30 and ((determin\$6 measur\$5 recover\$3 leak\$3 seep\$4 escap\$3 figur\$3 find\$3 obtain\$3 discover\$3 acquir\$3 guess\$3 estimat\$3 calculat\$3 comput\$5 evaluat\$4 assess\$4) near4 (data information) near5 (key cryptograph\$5 encrypt\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:23
S38	12	S28 and @pd> "20080801"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:30
S39	3989760	(measur\$6 attribut\$3 character\$9 qualit\$3 radiat\$3 electric\$5 electromagnetic\$5 power energ\$4 paramet\$7 voltage current noise signal\$3 consum\$6) near5 (record\$3 read\$3 stor\$3 memor\$6 register\$3 acquir\$3 writ\$3 sav\$3 collect\$3 gather\$3 keep\$3 obtain\$3 copy\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:37

10/31/2008 11:01:40 AM

C:\Documents and Settings\hnobahar\My Documents\EAST\Workspaces\10005105_10136012.wsp